

American Journal of Orthodontics & Dentofacial Orthopedics

Founded in 1915 Volume 157 Number 2 February 2020
Copyright © 2020 by the American Association of Orthodontists

CONTENTS

COVER

On the cover: Indirect bonding techniques have many advantages over direct bonding, but the method can be highly sensitive, requiring an experienced and skillful operator. Chaoran Xue and colleagues in Chengdu and Hangzhou, China, employed computer-aided design and computer-aided manufacturing methods to create a guided bonding device. They used the protocol to place 205 brackets in 10 patients, and they assessed bracket positions after 3 months. The results are reported in the Innovations and Technology article in this issue. The smiling patient on the cover is Nicholle Lay. She was treated orthodontically by Dr. Matthew Peluso, Cedar Grove, New Jersey.

GUEST EDITORIAL

- The orthodontic candidate selection process struggle** 141
Jose A. Bosio, Baltimore, Md

READERS' FORUM

- Anterior open bite correction: Do perceived impacts match normative outcomes?** 143
Elbe Peter, J. Monisha, R. M. Baiju, and Ani G. Suja, Kottayam, Kerala, India
- Authors' response** 144
Matheus Melo Pithon, Marcela Baraúna Magno, Raildo da Silva Coqueiro, Saul Martins de Paiva, Leandro Silva Marques, Luiz Renato Paranhos, Orlando Motohiro Tanaka, and Lucianne Cople Maia, Rio de Janeiro, Jequié, Belo Horizonte, Diamantina, Uberlândia, and Curitiba, Brazil
- Accuracy and reliability of the expected root position: Methodological issues to avoid misinterpretation** 145
Abolghasem Shokri and Siamak Sabour, Tehran, Iran
- Authors' response** 145
Robert John Lee, Jaemin Ko, Justyn Park, Sarah Pi, Denise Devgon, Gerald Nelson, David Hatcher, and Snehlata Oberoi, San Francisco, Calif
- A clarification** 146
Mona A. Montasser, Mansoura, Egypt
- Correction** 146

ETHICS IN ORTHODONTICS

- Transactional or relational?** 147
Peter M. Greco, Associate Editor for Ethics in Orthodontics, Philadelphia, Pa



Video available with article online at www.ajodo.org

The American Journal of Orthodontics and Dentofacial Orthopedics (ISSN 0889-5406) is published monthly by Elsevier Inc., 230 Park Avenue, Suite 800, New York, NY 10169. Periodicals postage paid at New York, NY and additional mailing offices. POSTMASTER: Send address changes to Elsevier, Journal Returns, 1799 Highway 50 East, Linn, MO 65051.

RANDOMIZED CONTROLLED TRIAL



- A comparison of conventional vs automated digital Peer Assessment Rating scoring using the Carestream 3600 scanner and CS Model+ software system: A randomized controlled trial** 148
Sana Luqmani, Allan Jones, Manoharan Andiappan, and Martyn T. Cobourne, London and Kingston, United Kingdom

SYSTEMATIC REVIEW



- The effects of fixed orthodontic retainers on periodontal health: A systematic review** 156
Marie-Laure Arn, Konstantinos Dritsas, Nikolaos Pandis, and Dimitrios Kloukos, Bern, Switzerland, and Athens, Greece

ORIGINAL ARTICLES

- Long-term stability behavior of paramedian palatal mini-implants: A repeated cross-sectional study** 165
Manuel Nienkemper, Jan H. Willmann, and Dieter Drescher, Düsseldorf, Germany

- Could orthodontic fixed appliances and excess weight affect gingival health in adolescents?** 172
Marcus Vinícius C. Costa, Mariana F. Calderan, and Thiago Cruvinel, Goiânia, Várzea Grande, and Bauru, São Paulo, Brazil

- Effect of cortical bone thickness and density on pullout strength of mini-implants: An experimental study** 178
Fatma Kübra Erbay Elibol, Emre Oflaz, Emine Buğra, Metin Orhan, and Teyfik Demir, Ankara, Turkey

- Enhancement of human periodontal ligament by preapplication of orthodontic loading** 186
Kittitat Nakdilok, Sarawut Langsa-ard, Suttichai Krisanaprakornkit, Eduardo Yugo Suzuki, and Boonsiva Suzuki, Bangkok and Chiang Mai, Thailand

- Treatment and posttreatment effects of a novel magnetic palatal expansion appliance with reactivation system in dogs** 194
Fei Tong, Zhanqi Miao, Xingchen Zhou, Chang Xiao, and Jianyong Wu, Nanchang, China



- Three-dimensional changes of the upper airway in patients with Class II malocclusion treated with the Herbst appliance: A cone-beam computed tomography study** 205
Paula Moreira Oliveira, Paula Loureiro Cheib-Vilefort, Henrique de Pársia Gontijo, Camilo Aquino Melgaço, Lorenzo Franchi, James A. McNamara, Jr, and Bernardo Quiroga Souki, Belo Horizonte, Brazil, and Florence, Italy, and Ann Arbor, Mich

- Maxillary incisor root morphology in patients with nonsyndromic tooth agenesis: A controlled cross-sectional pilot study** 212
Walbert de Andrade Vieira, Bianca Núbia Souza-Silva, Ítalo de Macedo Bernardino, Emanuel Santos Santana, Felipe Rodrigues de Matos, Marcos Alan Vieira Bittencourt, and Luiz Renato Paranhos, Aracaju, Piracicaba, and Araraquara, São Paulo, and Campina Grande, Paraíba, and Lagarto, Sergipe, and Salvador, Bahia, and Uberlândia, Minas Gerais, Brazil

CONTENTS *continued*

Analysis of tooth anatomy in adults with ideal occlusion: A preliminary study 218
Mario Palone, Giorgio A. Spedicato, and Luca Lombardo, Ferrara and Bologna, Italy



Influence of type of radiograph and levels of experience and training on reproducibility of the cervical vertebral maturation method 228
Anfal Khajah, Aditya Tadinada, Veerasathpurush Allareddy, Chia-Ling Kuo, Ravindra Nanda, and Flavio Uribe, Kuwait City, Kuwait, and Farmington, Conn, and Chicago, Iowa

The effects of a humorous video on memory for orthodontic treatment consent information 240
Timothy P. Levine, Bronx, NY

CASE REPORTS



Nonsurgical treatment of skeletal maxillary protrusion with gummy smile using headgear for growth control, mini-implants as anchorage for maxillary incisor intrusion, and premolar extractions for incisor retraction 245
Armando Yukio Saga, Eustáquio Afonso Araújo, Oscar Mario Antelo, Thiago Martins Meira, and Orlando Motohiro Tanaka, Curitiba, Brazil, and St. Louis, Mo

Orthodontic and surgical treatment of facial asymmetry in a patient with unicoronal craniosynostosis 259
Tingxi Wu, Patricia Reese, Justine C. Lee, Navid Kerayechian, Martin Martz, and R. Christian Solem, Buffalo, NY, Cambridge, Mass, and Los Angeles and Oakland, Calif

TECHNO BYTES

Accurate bracket placement using a computer-aided design and computer-aided manufacturing-guided bonding device: An in vivo study 269
Chaoran Xue, Hui Xu, Yongwen Guo, Li Xu, Yogyata Dhami, Hongzhe Wang, Zhongyu Liu, Jianbin Ma, and Ding Bai, Chengdu and Hangzhou, China

LITIGATION AND LEGISLATION

Medical malpractice or breach of contract 278
Laurance Jerrold, Brooklyn, NY

STATISTICS AND RESEARCH DESIGN

Meta-analysis: Random-effects model 280
Loukia M. Spineli and Nikolaos Pandis, Hannover, Germany, and Bern, Switzerland

CONTENTS *continued*

CONTINUING EDUCATION

Instructions 283

DIRECTORY: AAO OFFICERS AND ORGANIZATIONS 284

READER'S SERVICE

Information for authors—on the Internet, go to www.ajodo.org, For Authors, Author Information

Information for readers A12

Classified ad section A15